

(TENDER NO -APS/236/2024-25)

WARDROBE WITH LOFT FOR OFFICE (GREENPLY WITH TURMERIC & WATERPROOF)

| <u>SI No</u> | <u>Description of Work</u> | <u>A/U</u> | <u>Qty</u> | <u>Amount</u> |
|---------------------|---|-------------------|-------------------|----------------------|
| 1. | Wardrobe Providing & fixing on site Wardrobe in made out of 19mm thik and 9mm thik back marine plywood with laminate on the exterior and interior with half white laminateand finished with handles. Drawers with lock and fixed with telescopic hettich channels. 6 Nos. Shelves of 19mm thik marine plywood. Interior finished with French polish fitted with 4 wheels with locking liver. (SIZE OF WARDROBE 4'-0" X 7'-0") for the attached drawing. | No's | | |
| | | No's | 23 | |
| 2. | Loft Providing & fixing on site Over Head Storage above the proposed wardrobe, made out of 19mm thk marine plywood and 9mm thik back with laminate on on the exterior and interior with half white laminate. 2 Nos.of Shelves of 19mm thik marine plywood finished with handles and tower bolts. Interior finished with French polish. (SIZE OF WARDROBE 4'-0" X 3'-0") for the attached drawing. | No's | | |
| | | No's | 29 | |
| 3. | TV Unit for CCTV Monitor Providing & fixing on site Wall Desk Unit with open lofts, made out of 19 mm thk marine plywood and 9 mm thk back. With cabinets, drawers, keyboard drawer Exterior finished in laminate and interior finished in French polish with fluted panel background behind the TV monitor and with 6 shelves of 3'X6' height X 1' depth in two rows and with 6 leg support's. (SIZE OF WARDROBE 9'-0" X 10'-0") | No's | | |
| | | No's | 1 | |
| | | Total | | |
| | | GST | | |
| | | G.Total | | |

MATERIAL SPECIFICATIONS:

| <u>SI No</u> | <u>ITEM</u> | <u>DESCRIPTION</u> |
|---------------------|--------------------------------------|--|
| 1. | Nails & screws | Hammer, Nettlefold or equivalent quality asapproved by APS. |
| 2. | Locks, handles | Godrej, Vijayan or eq. Approved by APS. |
| 3. | Hinges, ball catch, tower bolts etc. | Palladium, famous or equivalent as approved by APS. |
| 4. | Laminate 1.2 mm to 1.mm | Royal Touche, Greenlam, Merino or equivalent as approved by APS. |
| 5. | Plywood 19mm and 9mm | Greenply with turmeric & waterproof quality as approved by APS. |
| 6. | Adhesives | Fevicol mfg. By Pidilite as approved by APS. |

Note :

- Vendors are advised to inspect before submission of quotation.
- Two Bid system should be followed :-**
 - Technical Bid** -
 - Separate envelope, mentioning the Tender No.
 - GST No & PAN Details.
 - Company Registration Certificate.
 - Previous year IT Return Filing Certificate.
 - Colour photographs of similar project done.
 - Plan and colour sketch of the project.
 - Financial Bid** - Separate envelope, mentioning the Tender No.